



TECHNICAL NOTES

Chlorhex-C®

Antiseptic / Disinfectant Concentrate



Active Constituents

Chlorhexidine gluconate 5% w/v (\equiv available chlorhexidine 2.8%) in an aqueous solution.

Actions

Antiseptic/disinfectant. Wide spectrum of antimicrobial activity and sustained residual effect due to binding with skin proteins. Chlorhex-C® is not affected by the presence of blood and organic material.

Indications

General surgery and clinical use: preoperative skin preparation, disinfection of instruments (except those containing cemented glass), surface disinfection (e.g. operating tables).

Directions for Use

General antiseptics, wound and membrane flushing: Dilute 20 mL Chlorhex-C® in 1 L clean water to produce a 0.05% available chlorhexidine aqueous solution.

Preoperative skin preparation, instrument and surface disinfection: Dilute 22ml Chlorhex-C® in 100 mL of methylated spirits to make a 0.5% available chlorhexidine alcohol solution.

Note: Use prepared aqueous solution within 1 month; prepared alcohol solution within 12 months.





TECHNICAL NOTES



Presentation

Concentrated liquid: 5 L

Storage

Store below 30°C (room temperature). Protect from light.

AU - Tech Note - Chlorhex C / Sep 2017 / APPROVED



www.jurox.com.au
Customer Service 1800 023 312
® Registered Trademark of Jurox Pty Ltd

AUSTRALIA'S
ANIMAL HEALTH COMPANY

